

Advancing Health Disparities Research Can We Afford to Ignore Measurement Issues?

ANITA L. STEWART, PhD,*[†] AND ANNA M. NÁPOLES-SPRINGER, PhD*[‡]

BACKGROUND. Research on racial and ethnic health disparities in the United States requires that self-report measures, developed primarily in mainstream samples, are appropriate when applied in diverse groups. To compare groups, mean scores must reflect true scores and have minimal bias, assumptions that have not been tested for many self-report measures used in this research.

OBJECTIVE. To identify conceptual and psychometric issues that need to be addressed to assure the quality of self-report measures being used in health disparities research.

METHODS. We present 2 broad conceptual frameworks for health disparities research and describe the main research questions and measurement issues for 4 key concepts hypothesized as potential mechanisms of health disparities: socioeconomic status, discrimination, acculturation, and quality of care. This article is based on a small conference convened by 6 Resource Centers for Minority Aging Research (RCMAR) measurement cores. We integrate written materials prepared for the conference

by quantitative and qualitative measurement specialists and cross-cultural researchers, conference discussions, and current literature.

RESULTS. Problems in the quality of the conceptualizations and measures were found for all 4 concepts, and little is known about the extent to which measures of these concepts can be interpreted similarly across diverse groups. Many problems also apply to other concepts relevant to health disparities. We propose an agenda for accomplishing this challenging measurement research.

CONCLUSIONS. The current national commitment to reduce health disparities may be compromised without more research on measurement quality. Integrated, systematic efforts are needed to move this work forward, including collaborative efforts and special initiatives.

Key words: Measurement; health disparities; patient–physician communication; discrimination; minority health; socioeconomic status; acculturation (Med Care 2003;41:1207–1220)

Minority populations and persons of lower socioeconomic status (SES) in the United States experience a disproportionate burden of disease and complications from the most prevalent and serious conditions.^{1–10} Addressing these health disparities has become a national priority. Health disparities research examines the nature of such

disparities, explores mechanisms by which they occur, and tests interventions to improve the health of minority and lower SES populations. Most constructs used in health disparities research are abstract and hence not directly observable or measurable. Measurement science typically involves the process of identifying specific items that

From the *Center for Aging in Diverse Communities and Medical Effectiveness Research Center, University of California San Francisco, San Francisco, California.

From the [†]Institute for Health & Aging, University of California San Francisco, San Francisco, California.

From the [‡]Division of General Internal Medicine,

Department of Medicine, University of California San Francisco, San Francisco, California.

Address correspondence and reprint requests to: Anita L. Stewart, PhD, Professor, University of California San Francisco, Institute for Health & Aging, Box 0646, San Francisco, CA 94143. E-mail: anitast@itsa.ucsf.edu

adequately represent unobservable, underlying (latent) constructs, and creating scale scores that meet standard psychometric criteria. When mean scores are compared across diverse groups, measurement studies also determine how well the observed scores reflect true mean scores on the latent construct and the extent to which the latent construct is being measured similarly across groups (without response bias).

Currently, little is known about the measurement quality of popular self-report measures of health and its determinants across diverse groups, because measurement studies in health disparities research are relatively scarce. Existing measures are potentially limited because: 1) they might not reflect adequately the issues and concerns of minority or vulnerable populations, primarily because they were not developed with these groups in mind, and 2) they might not have similar psychometric properties across comparison groups. Evidence suggests that many measures could be conceptually or psychometrically problematic when applied to diverse groups.^{11–20} The Resource Centers for Minority Aging Research (RCMAR) coordinated one of the first systematic efforts to advance the scientific basis of measurement across racial/ethnic groups. One goal of the 6 initial RCMAR centers, funded by the National Institute on Aging, the National Institute for Nursing Research, and the Office of Research for Minority Health, was to understand the measurement implications of using self-report measures in health disparities research. This article is based on written materials and discussions from a small working group conference of measurement and cross-cultural research specialists convened in May 2001 by the measurement cores of the RCMAR centers to address measurement issues in health disparities research in the United States. The objectives of this article are to:

1. Identify measurement issues for self-report concepts and measures that are the focus of current research on the determinants of health disparities;
2. Clarify how complementary qualitative and quantitative methods can be used to examine the quality of self-report measures for use in health disparities research; and
3. Develop an agenda for future measurement studies in health disparities research.

We review conceptual frameworks guiding health disparities research, identify key concepts that are found in this research, and highlight

relevant measurement issues. We summarize qualitative and quantitative methods for conducting the needed measurement studies and make recommendations for future measurement studies in health disparities research.

Conceptual Frameworks of Racial/Ethnic Health Disparities

Measuring Race and Ethnicity. Most current research on health disparities compares racial/ethnic groups, although a substantial body of research has examined disparities between lower SES groups and their counterparts. This article focuses on racial/ethnic disparities, henceforth referred to as “diverse groups,” but the issues apply to other diverse groups (eg, gender, age). Defining and ascertaining race/ethnicity is a major issue in this research, and many excellent reviews are available.^{21–25} Researchers usually have individuals self-identify their racial/ethnic group to reduce misclassification. Self-identification using a standard method such as the Office of Management and Budget (OMB) Federal Standards for Racial and Ethnic Data²⁶ permits comparisons across studies and consistency with federal data. Rather than using pan-ethnic labels (Latino or Asian), specific groupings (eg, Mexican American, Cambodian) enable studies of national origin subgroup differences in health. More precise classifications can more effectively identify groups at risk of poor outcomes.²⁷

The most important point about defining race and ethnicity is that researchers need to treat race/ethnicity classifications as markers of many complex, interrelated factors such as acculturation, SES, health behaviors, literacy, health beliefs, racism, power differentials, skin color, culture, and environment that are confounded with race/ethnicity and hence might be underlying determinants of disparities.²⁸ This point is critical to understanding mechanisms of racial/ethnic disparities in health.

Overview of Frameworks. Frameworks to study disparities fall into 2 broad categories: public health (population-level) models and health services research models. Public health models focus on ecologic or multilevel determinants, including biologic, family, cultural, community, health care, political, economic, social, environmental, system, policy, and other contextual factors.^{29–36} These multilevel models consider individuals as embed-

ded within systems that shape their behavior and constrain their access to resources necessary to maintain health.^{4,37-41} Public health models are more recently considering how these types of factors accumulate over the lifecourse to affect health; such lifecourse frameworks are providing additional insights into the mechanisms for health disparities.^{35,42-49}

Health services research frameworks are concerned with health care as a determinant of health. Health services models focus on the beliefs, cognitions, affect, and behaviors of patients and providers that can influence interpersonal and decision-making processes of care, treatment quality, and subsequent patient satisfaction.^{50,51} Cooper and colleagues propose a conceptual framework of potential determinants of disparities that incorporates technical and interpersonal processes of care such as cultural competence, communication skills, medical knowledge, technical skills, and bias/stereotyping.⁵²

Health disparities studies in healthcare settings need to consider how population-based factors such as living conditions, social services resources, ability to negotiate the system, psychologic resources, acculturation, and literacy affect patients' health. Thus, optimal health services research models "embed" the healthcare factors within the population factors.^{53,54}

Population-Based Determinants: Key Concepts. Countless population-level factors are being explored as possible mechanisms of health disparities; some major hypotheses include cumulative stress, social factors, the physical or built environment, community and psychosocial resources, and working conditions. Virtually all of these involve concepts for which measurement research would be useful. We have selected 3 to illustrate the conceptual and measurement issues involved, because they are so closely intertwined with race and ethnicity: SES, discrimination, and acculturation/enculturation.

Socioeconomic Status Extensive research links lower levels of SES to poorer health.⁵⁵ Low SES is associated with poor access to health care, greater exposure to environmental toxins, riskier health behaviors, fewer resources, and higher mortality.^{29,42,56-58} Evidence that this "gradient" is found at all levels of SES^{29,59-61} has piqued considerable interest in understanding the mechanisms by which this occurs. SES and race/ethnicity are often highly confounded, with minority groups overrepresented in the lower SES groups; thus it is a

critical concept in understanding mechanisms for racial/ethnic disparities in health.⁶²

Many studies of how SES contributes to health disparities simply control for race/ethnicity. Similarly, racial/ethnic health disparities studies often control for SES.^{28,63} Controlling for SES usually reduces, but does not completely account for, racial health differences.⁵⁸ Because of the complex ways SES and race/ethnicity operate to affect health, more research needs to explore how race and SES collectively influence health. When such interactions are explored, the relationship of SES to health is often found to vary by racial/ethnic group,^{5,63,64} confirming this as a promising direction.

Current SES measures are limited for numerous reasons.^{65,66} Many studies measure only education, income, and sometimes occupation, although numerous other SES-related concepts are essential to understand this complex construct such as poverty, wealth, deprivation, and social class.⁶⁷ Most measures focus on current SES, whereas lifecourse models emphasize the cumulative effects of various factors.⁴² Developing good lifecourse SES measures such as measures of childhood social class, adequacy of health insurance at critical points, economic stress, and cumulative occupational hazards could advance our ability to understand the complex relationships between cumulative socioeconomic disadvantage, ethnicity, and health.⁵⁶ Most SES measures focus on individual-level variables such as income and education; however, research increasingly finds that aggregate or area-based SES indicators contribute to disparities over and above individual factors.^{47,68-71}

The finding that relationships of race/ethnicity and health vary within SES levels could be in part because commonly used SES measures are not similarly interpreted across racial/ethnic groups.⁷² This could occur because similar levels of resources such as income or education might not confer the same health benefits across racial/ethnic groups,⁴¹ given that minorities have experienced large disparities in the quality of education content.⁶

Discrimination For blacks, the provocative literature on the adverse effects of discrimination on health suggests that this is a fruitful hypothesis for identifying mechanisms of health disparities.^{5,9,28,56,73-76} Despite a relatively small body of research, racism has been linked consistently with psychologic distress and well-being, a weak sense

of mastery, poor self-esteem,^{76,77} and high blood pressure.^{78–81}

Hypotheses as to how racism affects health have been identified at both the individual and institutional level,⁷⁴ and include truncated socioeconomic mobility; restricted access to economic and other resources; and psychologic, social, and physiological stress responses.^{58,77,82} Comparing subjective measures of discrimination with objective measures could yield interesting information, because their relationships appear to vary across diverse groups.⁸³ The adverse effects of discrimination could be more pronounced in persons who do not report being discriminated against.⁷⁹ Future research needs to clarify whether it is the actual discriminatory act, the perception of discrimination, or the reaction to the act that results in adverse health. Most likely, the act, the perception, and the response will vary in importance depending on the outcome assessed and whether the pathway is indirect or direct.

A substantial amount of measurement work is needed to develop valid self-report measures of racial discrimination⁷⁵ and associated processes leading to poor health. Several measures assessing discrimination are available^{74,78,84–89}; however, they vary widely in content, scope, and approach, and no psychometric evaluation is available for some of them. Measurement issues in discrimination have been described by others^{74,76}; thus, we highlight only a few. Although discrimination is multidimensional, its domains have not been consistently defined.⁷⁶ Measures often assess recent (eg, past year) and lifetime experiences of discrimination, although reference periods vary; experiences at various points in time (childhood, adolescence) can have different effects. Measures of chronic experiences of discrimination, which seem especially critical for health outcomes, focus only on work and education domains.⁷⁶ Measurement research can identify various types and sources of discrimination to determine if they vary in their effects on health. Most research on discrimination has involved blacks, with some exceptions⁸⁷; we need to learn whether and how these concepts and measures apply to other groups.

Answering questions about exposure to racial discrimination is complex and can be distressing for respondents who may prefer not to recall such memories, thus, distributions can be skewed.⁹⁰ Cognitive interviews using open-ended probes could yield new information on important content areas in discrimination, and optimal item wording

and framing to develop comprehensive measures that are less distressing and have more power to explain variations in health.

Acculturation/Enculturation A broad category of variables that can affect health disparities relates to the acculturation process. Culturally prescribed attitudes about preventive care, regular screening examinations, self-efficacy, physicians, and health care could explain differences in utilization, adherence, self-care practices, and health. For example, cultural norms about family structure have predicted cancer screening in Latinos,⁹¹ and cultural norms about materialism have been associated with elevated blood pressure in blacks.^{92–96}

Acculturation has been associated with positive and negative changes in health and health behaviors,^{97,98} suggesting complex relationships. Socio-cultural factors such as spirituality or collectivism could buffer the effects of stress or discrimination on blood pressure and other health outcomes,⁹⁹ illustrating positive effects. Cultural beliefs and attitudes have also been associated with negative outcomes. For example, the black-white differential in late-stage breast cancer diagnosis was significantly reduced after accounting for beliefs that air causes cancer to spread, the devil can cause a person to get cancer, and that chiropractic is an effective treatment for breast cancer, controlling for demographic and socioeconomic factors.¹⁰⁰ It is also possible that a high level of involvement in both cultures could predict better health.¹⁰¹ Because acculturation is a fluid construct, health disparities studies also need to examine how changes in acculturation affect health over time.

Refining measures of cultural affiliation and acculturation could thus lead to advances in understanding mechanisms of health disparities pertaining to culture. Acculturation is multidimensional, including lifestyle behaviors, health beliefs, language, norms, and attitudes. Yet, most acculturation measures are unidimensional, language-based, focus primarily on behavioral and lifestyle changes, and assume that cultural change only occurs in one direction.⁹⁸ However, individuals are influenced by the culture in which they develop (enculturation) and by the culture acting on them (acculturation); thus, an individual's culture is a product of both enculturation and acculturation processes.¹⁰² Acculturation might need to be defined differently for various ethnic groups as a result of the complex interplay between educational, language, financial, and social factors.¹⁰³ Finally, to examine how changes in acculturation

affect health over time, we need to ensure that the measures are sensitive to change.

Health Services Research Determinants: Quality of Care. A large body of research finds that minority patients receive suboptimal medical treatment compared with whites.^{104–118} Possible mechanisms to explain these differences include discrimination in healthcare settings, ie, differences in care resulting from biases, prejudices, stereotyping, and uncertainty in clinical communication and decision making.^{51,52,78,109,119,120} Discrimination in these settings compounds the effects of discrimination outside this setting on health. Differences in interpersonal processes of healthcare are a potential mechanism; several studies have observed such differences between minority patients and their white counterparts.^{51,52,120–122} Some research has examined differences in patient satisfaction with care across diverse groups, suggesting that quality-of-care differences are being perceived by minorities. Results generally indicate that Asian/Pacific Islander groups tend to rate their satisfaction lower.^{14,123} Language differences between patients and providers could account, to a large extent, for lower satisfaction ratings in both Asians and Latinos.¹²⁴ The data on satisfaction among blacks is mixed; some studies find comparable or greater satisfaction than whites¹²³ and others find less satisfaction.^{125,126}

Research on quality of health care relies heavily on self-report measures (eg, of communication and decision-making processes, satisfaction). The California Pan-Ethnic Health Network (CPEHN) concluded that although standard consumer surveys can identify some quality-of-care differences, current surveys are limited by numerous methodologic and measurement problems.¹²⁷ For example, differences in how Spanish- versus English-speaking respondents use response scales on a satisfaction survey have been noted.^{123,128} Measurement issues in assessing quality of care across diverse groups include: 1) limited inclusion of concepts relevant to the quality of care of minority populations such as cultural competence and discrimination,^{127,129} 2) lack of information on the psychometric invariance of quality of care measures across diverse groups,¹²⁹ 3) traditional survey methods (mail, telephone) fail to reach many minority groups, and 4) surveys need to be translated into other languages and written at lower reading levels to include patients with limited English proficiency.^{127,129}


Methods for Addressing Measurement Issues in Health Disparities Research

This review highlighted major issues facing health disparities researchers for a few of the many concepts being examined as potential determinants of health disparities. Our review illustrated 2 broad types of measurement problems: conceptual and psychometric. Health disparities research tends to compare groups. A valid comparison of self-report measures requires that the concepts have similar meaning across groups, sometimes referred to as conceptual equivalence. Measures must also conform to psychometric criteria in similar ways across the groups being compared, ie, have psychometric equivalence, usually referred to as measurement invariance.

We illustrate these principles in Figure 1. The left column reflects traditional measurement studies of conceptual or psychometric adequacy in one group (or one sample). The right column illustrates additional measurement considerations in health disparities research, where one needs to address conceptual equivalence and psychometric invariance across groups. Conceptual nonequivalence can occur because of culturally mediated differences in perceptions of the meaning of items and health constructs^{130–132} or because a concept is missing an important dimension in one group.¹³³ The need for psychometric invariance studies arises from the likelihood of response bias resulting from cultural or group differences in the cognitive processes of answering, using response scales, or differences introduced by inadequate translations and failure to address varying literacy levels.¹³⁴

This 2 × 2 grid serves a heuristic function, as a way to conceptualize needed measurement information for any measure to assess its appropriateness for use in a health disparities study. For instance, in a study of the role of trust in physicians in explaining disparities in patient acceptance of coronary artery bypass surgery, one could assess whether sufficient evidence exists within each of the 4 cells for measures of trust in physicians for the ethnic groups of interest. If there is a limited empiric basis that the assumptions of a cell have been met, there is a clear need to conduct measurement studies in that area.

These conceptual and psychometric issues can be addressed through a blend of qualitative and quantitative methods. Each method has strengths and weaknesses for addressing these types of



*Group(s) can refer to any sociodemographic strata being compared

FIG. 1. Conceptual and psychometric adequacy and equivalence within one group and across groups.*

measurement problems, but combining the approaches in an iterative fashion can yield optimal measures that assess the same construct in similar ways across racial/ethnic groups.¹³⁵⁻¹³⁸ We summarize some of the main qualitative and quantitative methods for addressing group comparisons.

Qualitative Methods. Qualitative methods explore the salience, relevance, acceptability, and dimensions of various constructs within and across racial/ethnic groups. They can help identify missing constructs and cognitive processes of answering, that is, how people interpret words and phrases and construct their answers to self-report questions. By providing researchers with access to the language and concepts used by participants about particular topics, these methods can help in developing appropriate wording for items. Qualitative studies can help us understand the extent to which a concept is appropriate and complete within a diverse group and whether it has the same meaning across groups.

Numerous approaches for using qualitative methods in measurement studies are available, including focus groups,¹³⁹ consultation with cultural experts,¹⁴⁰ and ethnography.¹⁴¹ Extensive literature exists on cognitive interviewing methods¹⁴²⁻¹⁵⁰; indeed, a special issue of *Quality of Life Research* (volume 12, 2003) is devoted to cognitive methods in measurement. The random probe technique¹⁵¹ is a cognitive interviewing approach in which respondents are probed on a randomly selected survey question at the time of a structured survey. The item-rating approach involves having key researchers, staff, and respondents from di-

verse groups independently rate various aspects of measures such as ease of wording, relevance, and cultural appropriateness.^{133,148}

Quantitative Methods. Psychometric criteria of reliability and validity assess whether measures are replicable across situations and occasions and represent the targeted construct (eg, depressive symptoms). However, excellent reliability and validity within a group do not guarantee that measures can be compared in a meaningful way across demographic strata. Factors such as gender roles, cultural norms, and language differences unrelated to the targeted construct could systematically inflate or deflate item response levels.¹⁵² If these factors operate differentially across demographic strata, then group differences or similarities assessed by instrument scores could be partially the result of response bias. Measurement invariance holds when an instrument produces valid measures that can be meaningfully compared across diverse groups. Measurement invariance of self-report instruments across demographic strata is generally ignored.

Two basic approaches are available for examining measurement invariance and item bias, confirmatory factor analysis (CFA)¹⁵²⁻¹⁵⁵ and item response theory (IRT).¹⁵⁶⁻¹⁵⁹ Reviews and examples of these and other methods are also available.^{134,160,161} The different quantitative approaches can be viewed as complementary because each contributes information about whether the measures are of sufficient quality to allow for valid group comparisons.

A Research Agenda to Address Measurement Issues in Health Disparities Research

As a result of the large number of possible racial/ethnic groups and instruments, rigorous development of appropriate measures for studies of health disparities is a daunting task. Realistically, systematic progress must be limited to a few key measures and major U.S. population subgroups. Practical constraints require tradeoffs between allocating the necessary resources and accepting assumptions about the transferability of concepts and measures across racial/ethnic groups without evidence that these assumptions have been met.

Drawing from our reviews, we present in Table 1 a summary of the key research issues on how SES, discrimination, acculturation, and quality of care might operate as mechanisms of health disparities and the corresponding measurement efforts that can facilitate this research. This summary is intended to guide systematic measurement studies over the next several years. The focus on these 4 concepts serves to illustrate the types of issues that probably pertain to the many other concepts we were unable to review here.

Our broad recommendations for accomplishing the needed measurement studies are to: 1) integrate measurement studies into health disparities research to begin to build an evidence base of the conceptual and psychometric adequacy and equivalence of key measures; 2) disseminate data on measurement properties of key measures used in health disparities research; and 3) create more funding opportunities for measurement research in health disparities studies. Within a selected clinical or health disparities issue, measurement specialists need to work with content specialists in all phases of instrument selection, adaptation, and development. Another collaborative strategy is to establish an infrastructure for creating item banks. Item banks are compilations of items that can be calibrated for use in specific populations (development of complex scoring algorithms to equate responses across items/subgroups of respondents).¹⁶² This would require establishment of a nonprofit corporation so that item banks are in the public domain, accessible to the scientific community, and reflect scientific priorities. The probability of funding is improved if measurement work is linked to a specific programmatic objective of an agency, ie, a specific issue related to healthcare quality or quality of life. To assure integrated

progress, special RFAs or initiatives may be needed, in which investigators collaborate on specific questions aimed at advancing the state-of-the-art of measurement across several studies.

It is incumbent on researchers to demonstrate that the additional methodological rigor and expense produce superior results to those obtained using standard approaches. Demonstrating the value of this work involves examining whether measurement studies: 1) identify constructs that otherwise would have been overlooked; 2) produce measures of known constructs that are more valid, reliable, and invariant across groups than measures that are already contained in the literature; and 3) generate new theoretical insights and conceptual models that are more informative than those produced by either quantitative or qualitative methods used alone.¹³⁶

Conclusions

The current U.S. Department of Health and Human Services' commitment to reduce health disparities by the year 2010 through funded initiatives could be compromised without more systematic measurement research. Our review of the current research on disparities is cursory, given the countless concepts being explored. However, it highlights the need for increased attention to measurement science to evaluate the transferability of existing measures of health and its determinants for use in diverse subpopulations. Health disparities researchers need to know the potential threats to the validity of their research, that is, whether observed similarities or differences in health across racial/ethnic groups are true (valid) or, alternatively, if findings are the result of conceptual and psychometric problems. Inaccurate conclusions based on the inappropriate use of self-report measures could be costly to groups (within the context of policy formulation or benefit assessment) and individuals (within the context of diagnosis and treatment). We hope that these recommendations will lead to the systematic development of measurement research in diverse groups through coordinated efforts across funding agencies and research institutions.

Acknowledgments

This article is based on a conference that was funded jointly by grant number P30 AG15272 to the University

TABLE 1. Summary of Measurement Issues for 4 Concepts of Determinants of Health Disparities and Recommendations for Future Research

Key Concepts and Associated Research Issues	Needed Measurement Studies
Socioeconomic Status	
How do race/ethnicity and SES interact in studies of racial/ethnic health disparities?	Develop a broad array of measures of SES that can be used across diverse groups.
How do lifecourse experiences related to SES affect current health over and above indicators of current SES level?	Develop good concepts and measures of lifecourse SES that can be used across diverse groups.
Do aggregate and individual indicators of SES contribute independent information in explaining health disparities?	Develop improved concepts and measures of environmental SES indicators (eg, effects of neighborhood) and assess the optimal geographic area for assessing environmental effects on health by SES domain (eg, poverty) and outcome.
Discrimination	
To what extent do experiences of racism and discrimination affect health in diverse racial/ethnic groups?	Continue to develop concepts and measures of racism and discrimination that address multiple domains, types, and sources.
What are the mechanisms by which perceived racism and discrimination affect health such as adverse physiological, psychologic, and economic impacts of racism and maladaptive coping?	Develop and test measures in diverse racial/ethnic groups in addition to blacks.
Does perceived discrimination resulting from socioeconomic status have the same adverse effect on health as that attributed to racism?	Continue to develop and test concepts and measures of emotional and behavioral responses to experiences of discrimination and racism.
	Explore how best to access people's memories of experiences of racism and discrimination.
	Explore the meaning of words and phrases used to express experiences of racism and discrimination, ie, are they offensive and do alternative words mean the same thing.
Acculturation/enculturation	
How do changes in acculturation affect health?	Develop multidimensional concepts and measures of acculturation and enculturation.
Is there an optimal level of acculturation in relation to health?	Identify measures of acculturation and enculturation that operate at the individual and group level to affect health.
Do acculturation and enculturation processes affect health differently?	Develop measures of acculturation and enculturation that are sensitive to changes over time.
What are the key dimensions of acculturation/enculturation (eg, language, health beliefs, and health behaviors) that affect health?	
Quality of Care	
What are the determinants of unequal health care?	Ensure that relevant concepts, eg, discrimination and cultural competence are included in measures of interpersonal processes and patient satisfaction used in diverse groups.
What are the interpersonal processes of care that are associated with unequal treatment?	Develop and test concepts and measures of interpersonal processes of care between patients and providers that might account for health disparities in healthcare settings.
What are the specific mechanisms by which health care leads to health disparities?	

of California San Francisco (UCSF), from the National Institute on Aging, grant number R13 HS11293 to UCSF from the Agency for Healthcare Research and Quality, grant number P30 AG15286 to the RCMAR Coordinating Center from the National Institute on Aging, and grant UO 1 CA 86117 to UCSF from the National Cancer Institute to Redes en Acción. RCMAR measurement core members (other than the authors) who contributed to the development of the conference and participated include: Jan Beals, Robert F. DeVellis, Marvella E. Ford, Steven Gregorich, Kristie Long, Harold W. Neighbors, Peter Reed, Mildred Ramirez, Dorothy Rhoades, Tom Templin, and Jeanne A. Teresi. Invited measurement and cross-cultural researchers who participated in the conference include: Ronald L. Angel, David Cella, Linda Chatters, Ron D. Hays, Timothy Johnson, Neal M. Krause, Jersey Liang, Colleen A. McHorney, William Meredith, Leo S. Morales, Rena Pasick, Lloyd H. Rogler, and David R. Williams. The authors thank Sidney M. Stahl and Carolyn M. Clancy for their enthusiastic support. They also thank Martha Rangel-Lugo, Marie Fongwa, and Deirdra Forté for planning and coordinating the conference. Special thanks go to Yen-Pin Chiang, Daniel Stryer, Barbara Tilley, and A. Eugene Washington for their valuable input. The authors are indebted to Eliseo Pérez-Stable for his material and intellectual contributions.

References

- Centers for Disease Control and Prevention.** Recent trends in mortality rates for four major cancers, by sex and race/ethnicity—United States, 1990–1998. *MMWR Morb Mortal Wkly Rep* 2002;51:49–54.
- Lillie-Blanton M, Martinez RM, Taylor AK, et al.** Latina and African American women: continuing disparities in health. *Int J Health Serv* 1993;23:555–584.
- Lillie-Blanton M, Parsons PE, Gayle H, et al.** Racial differences in health: not just black and white, but shades of gray. *Annu Rev Public Health* 1996;17:411–448.
- Link BG, Northridge ME, Phelan JC, et al.** Social epidemiology and the fundamental cause concept: on the structuring of effective cancer screens by socioeconomic status. *Milbank Q* 1998;76:304–305, 375–402.
- Ren XS, Amick BC, Williams DR.** Racial/ethnic disparities in health: the interplay between discrimination and socioeconomic status. *Ethn Dis* 1999;9:151–165.
- Smith JP, Kington RS.** Race, socioeconomic status, and health in late life. In: Martin LG, Soldo BJ, eds. *Racial and Ethnic Differences in the Health of Older Americans*. Washington, DC: National Academy Press; 1997:106–162.
- Health, United States 2001. Washington, DC: U.S. Department of Health and Human Services, 2001.
- Williams DR.** Race and health: basic questions, emerging directions. *Ann Epidemiol* 1997;7:322–333.
- Williams DR.** Race, socioeconomic status, and health: the added effects of racism and discrimination. *Ann NY Acad Sci* 2000;896:173–188.
- Winkleby MA, Kraemer HC, Ahn DK, et al.** Ethnic and socioeconomic differences in cardiovascular disease risk factors: findings for women from the Third National Health and Nutrition Examination Survey, 1988–1994. *JAMA* 1998;280:356–362.
- Johnson RJ, Wolinsky FD.** Gender, race, and health: the structure of health status among older adults. *Gerontologist* 1994;34:24–35.
- Markides KS, Stroup-Benham CA, Goodwin JS, et al.** The effect of medical conditions on the functional limitations of Mexican-American elderly. *Ann Epidemiol* 1996;6:386–391.
- McHorney CA, Ware JE Jr, Raczek AE.** The MOS 36-Item Short-Form Health Survey (SF-36): II. Psychometric and clinical tests of validity in measuring physical and mental health constructs. *Med Care* 1993;31:247–263.
- Meredith LS, Siu AL.** Variation and quality of self-report health data. Asians and Pacific Islanders compared with other ethnic groups. *Med Care* 1995;33:1120–1131.
- Mui AC, Burnette D, Chen LM.** Cross-cultural assessment of geriatric depression: a review of the CES-D and the GDS. *J Ment Health Aging* 2001;7:137–164.
- Mutran EJ, Reed PS, Sudha S.** Social support: clarifying the construct with applications for minority populations. *J Ment Health Aging* 2001;7:67–78.
- Ramírez M, Teresi JA, Silver S, et al.** Cognitive assessment among minority elderly: possible test bias. *J Ment Health Aging* 2001;7:91–117.
- Sherbourne CD, Meredith LS.** Quality of self-report data: a comparison of older and younger chronically ill patients. *J Gerontol* 1992;47:S204–S211.
- Stewart AL, Nápoles-Springer A.** Health-related quality of life assessments in diverse population groups in the United States. *Med Care* 2000;38(suppl II):II102–II124.
- Stump TE, Clark DO, Johnson RJ, et al.** The structure of health status among Hispanic, African American, and white older adults. *J Gerontol B Psychol Sci Soc Sci* 1997;52B:49–60.
- Cooper R.** A case study in the use of race and ethnicity in public health surveillance. *Public Health Rep* 1994;109:46–52.
- Lin SS, Kelsey JL.** Use of race and ethnicity in epidemiologic research: concepts, methodological issues, and suggestions for research. *Epidemiol Rev* 2000;22:187–202.

23. **Mays VM, Ponce NA, Washington DL, et al.** CLASSIFICATION OF RACE AND ETHNICITY: implications for Public Health. *Annu Rev Public Health* 2003;24:83–110.
24. **Williams D, Lavisso-Mourey R, Warren R.** The concept of race and health status in America. *Public Health Rep* 1994;109:26–41.
25. **Williams DR.** Race/ethnicity and socioeconomic status: measurement and methodological issues. *Int J Health Serv* 1996;26:483–505.
26. **Office of Management and Budget.** Revisions to the standards for classification of Federal data on race and ethnicity. *Federal Register* 1997;62:58781–58790.
27. **Williams DR, Jackson JS.** Race/ethnicity and the 2000 census: recommendations for African American and other black populations in the United States. *Am J Public Health* 2000;90:1728–1730.
28. **Krieger N, Rowley DL, Hermann AA, et al.** Racism, sexism, and social class: implications for studies of health, disease, and well-being. *Am J Prev Med* 1993;9(suppl 6):82–122.
29. **Adler NE, Boyce WT, Chesney MA, et al.** Socioeconomic inequalities in health: no easy solution. *JAMA* 1993;269:3140–3145.
30. **Adler NE, Marmot M, McEwen BS, et al., eds.** Socioeconomic Status and Health in Industrialized Nations: Social, Psychological, and Biological Pathways, vol 896. New York: Annals of the New York Academy of Sciences; 1999.
31. **Anderson NB.** Solving the puzzle of socioeconomic status and health: the need for integrated, multi-level, interdisciplinary research. In: Adler NE, Marmot M, McEwen BS, et al., eds. Socioeconomic Status and Health in Industrial Nations: Social, Psychological, and Biological Pathways, vol 896. New York: The New York Academy of Sciences; 1999:302–312.
32. **Evans RG, Stoddart GL.** Producing health, consuming health care. *Soc Sci Med* 1990;31:1247–1263.
33. **Lantz PM, Lynch JW, House JS, et al.** Socioeconomic disparities in health change in a longitudinal study of US adults: the role of health-risk behaviors. *Soc Sci Med* 2001;53:29–40.
34. **McMichael AJ.** Prisoners of the proximate: loosening the constraints on epidemiology in an age of change. *Am J Epidemiol* 1999;149:887–897.
35. **Singer B, Ryff CD.** Hierarchies of life histories and associated health risks. In: Adler NE, Marmot M, McEwen BS, et al., eds. Socioeconomic Status and Health in Industrialized Nations: Social, Psychological, and Biological Pathways, vol 896. New York: Annals of the New York Academy of Sciences; 1999:96–115.
36. **Stokols D.** Social ecology and behavioral medicine: implications for training, practice, and policy. *Behav Med* 2000;26:129–138.
37. **Green LW, Kreuter MW.** Health Promotion Planning: An Educational and Environmental Approach. Mountain View, CA: Mayfield Press; 1991.
38. **McLeroy KR, Bibeau D, Steckler A, et al.** An ecological perspective on health promotion programs. *Health Educ Q* 1988;15:351–377.
39. **Stokols D.** Translating social ecological theory into guidelines for community health promotion. *Am J Health Promot* 1996;10:282–298.
40. **Wandersman A, Valois R, Ochs L, et al.** Toward a social ecology of a community coalition. *Am J Health Promot* 1996;10:299–307.
41. **Williams DR.** Racial/ethnic variations in women's health: the social embeddedness of health. *Am J Public Health* 2002;92:588–597.
42. **Everson SA, Maty SC, Lynch JW, et al.** Epidemiologic evidence for the relation between socioeconomic status and depression, obesity, and diabetes. *J Psychosom Res* 2002;53:891–895.
43. **Graham H.** Building an inter-disciplinary science of health inequalities: the example of lifecourse research. *Soc Sci Med* 2002;55:2005–2016.
44. **Halforn N, Hochstein M.** Life course health development: an integrated framework for developing health, policy, and research. *Milbank Q* 2002;80:433–479.
45. **Hertzman C, Power C, Matthews S, et al.** Using an interactive framework of society and lifecourse to explain self-rated health in early adulthood. *Soc Sci Med* 2001;53:1575–1585.
46. **Kagawa-Singer M.** Improving the validity and generalizability of studies with underserved U.S. populations expanding the research paradigm. *Ann Epidemiol* 2000;10:S92–S103.
47. **Lynch JW, Kaplan GA.** Socioeconomic position. In: Berkman LF, Kawachi I, eds. *Social Epidemiology*. Oxford: Oxford University Press; 2000:13–35.
48. **Lynch JW, Kaplan GA, Shema SJ.** Cumulative impact of sustained economic hardship on physical, cognitive, psychological, and social functioning. *N Engl J Med* 1997;337:1889–1895.
49. **Turrell G, Lynch JW, Kaplan GA, et al.** Socioeconomic position across the lifecourse and cognitive function in late middle age. *J Gerontol B Psychol Sci Soc Sci* 2002;57:S43–S51.
50. **Einbinder LC, Schulman KA.** The effect of race on the referral process for invasive cardiac procedures. *Med Care Res Rev* 2000;57(suppl 1):162–180.
51. **van Ryn M, Fu SS.** Paved with good intentions: do public health and human service providers contribute to racial/ethnic disparities in health? *Am J Public Health* 2003;93:248–255.

52. **Cooper LA, Hill MN, Powe NR.** Designing and evaluating interventions to eliminate racial and ethnic disparities in health care. *J Gen Intern Med* 2002;17:477–486.
53. **Aday LA.** Health status of vulnerable populations. *Annu Rev Public Health* 1994;15:487–509.
54. **Gelberg L, Andersen RM, Leake BD.** The behavioral model for vulnerable populations: application to medical care use and outcomes for homeless people. *Health Serv Res* 2002;34:1273–1302.
55. **Syme SL, Berkman LF.** Social class, susceptibility and sickness. *Am J Epidemiol* 1976;104:1–8.
56. **Nazroo JY.** The structuring of ethnic inequalities in health: economic position, racial discrimination, and racism. *Am J Public Health* 2003;93:277–284.
57. **Northridge ME, Stover GN, Rosenthal JE, et al.** Environmental equity and health: understanding complexity and moving forward. *Am J Public Health* 2003;93:209–214.
58. **Williams DR, Collins C.** U.S. socioeconomic and racial differences in health: patterns and explanations. *Annu Rev Sociol* 1995;21:349–386.
59. **Adler NE, Ostrove JM.** Socioeconomic status and health: what we know and what we don't. In: Adler NE, Marmot M, McEwen BS, et al., eds. *Socioeconomic Status and Health in Industrialized Nations: Social, Psychological, and Biological Pathways*, vol 896. New York: Annals of the New York Academy of Sciences; 1999:3–15.
60. **Bunker JP, Gomby DS, Kehrer BH.** *Pathways to Health: The Role of Social Factors*. Menlo Park, CA: The Henry J. Kaiser Family Foundation; 1989.
61. **Evans GW, Kantrowitz E.** Socioeconomic status and health: the potential role of environmental risk exposure. *Annu Rev Public Health* 2002;23:303–331.
62. **Rudkin L, Markides KS.** Measuring the socioeconomic status of elderly people in health studies with special focus on minority elderly. *J Ment Health Aging* 2001;7:53–66.
63. **Kessler RC, Neighbors HW.** A new perspective on the relationships among race, social class, and psychological distress. *J Health Soc Behav* 1986;27:107–115.
64. **James SA, Strogatz DS, Wing SB, et al.** Socioeconomic status, John Henryism, and hypertension in blacks and whites. *Am J Epidemiol* 1987;126:664–673.
65. **Oakes JM, Rossi PH.** The measurement of SES in health research: current practice and steps toward a new approach. *Soc Sci Med* 2003;56:769–784.
66. **Robert S, House JS.** SES differentials in health by age and alternative indicators of SES. *J Aging Health* 1996;8:359–388.
67. **Krieger N, Williams DR, Moss NE.** Measuring social class in U.S. public health research: concepts, methodologies, and guidelines. *Annu Rev Public Health* 1997;18:341–378.
68. **Kawachi I.** Income inequality and health. In: Berkman LF, Kawachi I, eds. *Social Epidemiology*. Oxford: Oxford University Press; 2000:76–94.
69. **Krieger N, Chen JT, Waterman PD, et al.** Choosing area based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning: The Public Health Disparities Geocoding Project (US). *J Epidemiol Community Health* 2003;57:186–199.
70. **Yen IH, Kaplan GA.** Neighborhood social environment and risk of death: multilevel evidence from the Alameda County Study. *Am J Epidemiol* 1999;149:898–907.
71. **Yen IH, Kaplan GA.** Poverty area residence and changes in depression and perceived health status: evidence from the Alameda County Study. *Int J Epidemiol* 1999;28:90–94.
72. **Braveman P, Cubbin C, Marchi K, et al.** Measuring socioeconomic status/position in studies of racial/ethnic disparities: maternal and infant health. *Public Health Rep* 2001;116:449–463.
73. **Cain VS, Kington RS.** Investigating the role of racial/ethnic bias in health outcomes. *Am J Public Health* 2003;93:191–192.
74. **Krieger N.** Discrimination and health. In: Berkman LF, Kawachi I, eds. *Social Epidemiology*. Oxford: Oxford University Press; 2000:36–75.
75. **Krieger N.** Does racism harm health? Did child abuse exist before 1962? On explicit questions; critical science; and current controversies: an ecosocial perspective. *Am J Public Health* 2003;93:194–199.
76. **Williams DR, Neighbors HW, Jackson JS.** Racial/ethnic discrimination and health: findings from community studies. *Am J Public Health* 2003;93:200–208.
77. **Williams DR, Williams-Morris R.** Racism and mental health: the African American experience. *Ethn Health* 2000;5:243–268.
78. **Krieger N.** Racial and gender discrimination: risk factors for high blood pressure? *Soc Sci Med* 1990;30:1273–1281.
79. **Krieger N, Sidney S.** Racial discrimination and blood pressure: the CARDIA Study of young black and white adults. *Am J Public Health* 1996;86:1370–1378.
80. **Neighbors HW.** Racism and the mental health of African Americans: the role of self and system blame. *Ethn Dis* 1996;6:167–175.
81. **Williams DR, Neighbors H.** Racism, discrimination and hypertension: evidence and needed research. *Ethn Dis* 2001;11:800–816.

82. **Clark R, Anderson NB, Clark VR, et al.** Racism as a stressor for African Americans: a biopsychosocial model. *Am Psychol* 1999;54:805–816.
83. **Ostrove JM, Adler NE, Kuppermann M, et al.** Objective and subjective assessments of socioeconomic status and their relationship to self-rated health in an ethnically diverse sample of pregnant women. *Health Psychol* 2000;19:613–618.
84. **Greene NL.** Development of the perceptions of racism scale. *J Nurs Scholarsh* 1995;27:141–146.
85. **Ladrine H, Klonoff EA.** The schedule of racist events: a measure of racial discrimination and a study of its negative physical and mental health consequences. *J Black Psychol* 1996;22:144–168.
86. **McNeilly MD, Anderson NB, Armstead CA, et al.** The perceived racism scale: a multidimensional assessment of the experiences of white racism among African Americans. *Ethn Dis* 1996;6:154–166.
87. **Salgado de Snyder VN.** Factors associated with acculturative stress and depressive symptomatology among married Mexican immigrant women. *Psychol Women Q* 1987;11:475–488.
88. **Utsey SO, Ponterotto JG.** Development and validation of the index of race-related stress (IRRS). *J Couns Psychol* 1996;43:490–43501.
89. **Vines AI, McNeilly MD, Stevens J, et al.** Development and reliability of a telephone-administered Perceived Racism Scale (TPRS): a tool for epidemiological use. *Ethn Dis* 2001;11:251–262.
90. **Gomez JP, Trierweiler S.** Does discrimination terminology create response bias in questionnaire studies of discrimination? *Pers Soc Psychol Bull* 2001;27:630–638.
91. **Suarez L, Pulley L.** Comparing acculturation scales and their relationship to cancer screening among older Mexican-American women. *J Natl Cancer Inst Monogr* 1995;18:41–47.
92. **Daniels IN, Harrell JP, Floyd LJ, et al.** Hostility, cultural orientation, and casual blood pressure readings in African Americans. *Ethn Dis* 2001;11:779–787.
93. **Dressler WW.** Lifestyle, stress, and blood pressure in a southern black community. *Psychosom Med* 1990;52:182–198.
94. **Dressler WW, Bindon JR.** The health consequences of cultural consonance: cultural dimensions of lifestyle, social support, and arterial blood pressure in an African American community. *Am Anthropol* 2000;102:244–260.
95. **Dressler WW, Bindon JR, Neggers YH.** Culture, socioeconomic status, and coronary heart disease risk factors in an African American community. *J Behav Med* 1998;21:527–544.
96. **Harrell JP, Hall S, Taliadro J.** Physiological responses to racism and discrimination: an assessment of the evidence. *Am J Public Health* 2003;93:243–248.
97. **Palinkas LA, Pickwell SM.** Acculturation as a risk factor for chronic disease among Cambodian refugees in the United States. *Soc Sci Med* 1995;40:1643–1653.
98. **Salant T, Lauderdale DS.** Measuring culture: a critical review of acculturation and health in Asian immigrant populations. *Soc Sci Med* 2003;57:71–90.
99. **Dressler WW.** Hypertension in the African American community: social, cultural, and psychological factors. *Semin Nephrol* 1996;16:71–82.
100. **Lannin DR, Mathews HF, Mitchell J, et al.** Influence of socioeconomic and cultural factors on racial differences in late-stage presentation of breast cancer. *JAMA* 1998;279:1801–1807.
101. **Skinner JH.** Acculturation: measures of ethnic accommodation to the dominant American culture. *J Ment Health Aging* 2001;7:41–52.
102. **Berry JW, Trimble JE, Olmedo EL.** Assessment of acculturation. In: Lonner WJ, Berry JW, eds. *Field Methods in Cross-Cultural Research*. Beverly Hills: Sage Publications, Inc; 1986:291–349.
103. **Krause N, Goldenhar LM.** Acculturation and psychological distress in three groups of elderly Hispanics. *J Gerontol* 1992;47:S279–S288.
104. **Burns RB, McCarthy EP, Freund KM, et al.** Black women receive less mammography even with similar use of primary care. *Ann Intern Med* 1996;125:173–182.
105. **Carlisle DM, Leake BD, Shapiro MF.** Racial and ethnic disparities in the use of cardiovascular procedures: associations with type of health insurance. *Am J Public Health* 1997;87:263–267.
106. **Escarce JJ, Epstein KR, Colby DC, et al.** Racial differences in the elderly's use of medical procedures and diagnostic tests. *Am J Public Health* 1993;83:948–954.
107. **Gornick ME, Eggers PW, Reilly TW, et al.** Effects of race and income on mortality and use of services among Medicare beneficiaries. *N Engl J Med* 1996;335:791–799.
108. **Hannan EL, van Ryn M, Burke J, et al.** Access to coronary artery bypass surgery by race/ethnicity and gender among patients who are appropriate for surgery. *Med Care* 1999;37:68–77.
109. **Institute of Medicine Committee on Understanding and Eliminating Racial and Ethnic Disparities in Health Care.** *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: National Academy Press; 2000.

110. **Mandelblatt JS, Kerner JF, Hadley J, et al.** Variations in breast carcinoma treatment in older Medicare beneficiaries: is it black or white. *Cancer* 2002;95:1401-1414.
111. **Mayberry RM, Mili F, Ofili E.** Racial and ethnic differences in access to medical care. *Med Care Res Rev* 2000;57(suppl 1):108-145.
112. **Maynard C, Fisher LD, Passamani ER, et al.** Blacks in the coronary artery surgery study (CASS): race and clinical decision making. *Am J Public Health* 1986;76:1446-1448.
113. **Petersen LA, Wright SM, Peterson ED, et al.** Impact of race on cardiac care and outcomes in veterans with acute myocardial infarction. *Med Care* 2002;40(1 suppl):186-196.
114. **Peterson ED, Shaw LK, DeLong ER, et al.** Racial variation in the use of coronary-revascularization procedures. Are the differences real? Do they matter? *N Engl J Med* 1997;336:480-486.
115. **Schulman KA, Berlin JA, Harless W, et al.** The effect of race and sex on physician's recommendations for cardiac catheterization. *N Engl J Med* 1999;340:618-626.
116. **Taira DA, Seto TB, Marciel C.** Ethnic disparities in care following acute coronary syndromes among Asian Americans and Pacific Islanders during the initial hospitalization. *Cell Mol Biol (Noisy-le-grand)* 2001;47:1209-1215.
117. **Todd KH, Samaroo N, Hoffman JR.** Ethnicity as a risk factor for inadequate emergency department analgesia. *JAMA* 1993;269:1537-1539.
118. **Wenneker MB, Epstein AM.** Racial inequalities in the use of procedures for patients with ischemic heart disease in Massachusetts. *JAMA* 1989;261:253-257.
119. **Murrell NL.** Stress, self-esteem, and racism: relationships with low birth weight and preterm delivery in African American women. *J Natl Black Nurses Assoc* 1996;8:45-53.
120. **van Ryn M.** Research on the provider contribution to race/ethnicity disparities in medical care. *Med Care* 2002;40(1 suppl):I140-I151.
121. **Ashton CM, Haidet P, Paterniti DA, et al.** Racial and ethnic disparities in the use of health services. *J Gen Intern Med* 2003;18:146-152.
122. **Morales LS, Elliott MN, Weech-Maldonado R, et al.** Differences in CAHPS® adult survey reports and ratings by race and ethnicity: an analysis of the national CAHPS® benchmarking data 1.0. *Health Serv Res* 2001;36:595-617.
123. **Haviland MG, Morales LS, Reise SP, et al.** Do health care ratings differ by race or ethnicity? *Jt Comm J Qual Saf* 2003;29:134-145.
124. **Weech-Maldonado R, Morales LS, Spritzer K, et al.** Racial and ethnic differences in parents' assessments of pediatric care in Medicaid managed care. *Health Serv Res* 2001;36:575-594.
125. **LaVeist TA, Nickerson KJ, Bowie JV.** Attitudes about racism, medical mistrust, and satisfaction with care among African American and white cardiac patients. *Med Care Res Rev* 2000;57(suppl 1):146-161.
126. **Sun BC, Adams J, Orav EJ, et al.** Determinants of patient satisfaction and willingness to return with emergency care. *Ann Emerg Med* 2000;35:426-434.
127. **California Pan-Ethnic Health Network.** Diverse Patients, Disparate Experience: The Use of Standardized Patient Satisfaction Surveys in Assessing the Cultural Competence of Health Care Organizations. Oakland, CA: California Pan-Ethnic Health Network; 2001.
128. **Hayes RP, Baker DW.** Methodological problems in comparing English-speaking and Spanish-speaking patients' satisfaction with interpersonal aspects of care. *Med Care* 1998;36:230-236.
129. **Stewart AL, Nápoles-Springer A, Pérez-Stable EJ.** Interpersonal processes of care in diverse populations. *Milbank Q* 1999;77:274, 305-339.
130. **Angel R, Thoits P.** The impact of culture on the cognitive structure of illness. *Cult Med Psychiatry* 1987;11:465-494.
131. **Barofsky I.** The role of cognitive equivalence in studies of health-related quality of life assessments. *Med Care* 2000;38:II125-II129.
132. **Rogler LH.** The meaning of culturally sensitive research in mental health. *Am J Psychiatry* 1989;146:296-303.
133. **Cella D, Hernandez L, Bonomi AE, et al.** Spanish language translation and initial validation of the functional assessment of cancer therapy quality-of-life instrument. *Med Care* 1998;36:1407-1418.
134. **Hahn MA, Cella D.** Health outcomes assessment in vulnerable populations: measurement challenges and recommendations. *Arch Phys Med Rehabil* 2003;84(suppl 2):S35-S41.
135. **Bjorner JB, Ware JE Jr.** The potential synergy between cognitive models and modern psychometric models. *Qual Life Res* 2003;12:261-274.
136. **Krause N.** A comprehensive strategy for developing closed-ended survey items for use in studies of older adults. *J Gerontol B Psychol Sci Soc Sci* 2002;57B:S263-S274.
137. **Steckler A, McLeroy KR, Goodman RM, et al.** Toward integrating qualitative and quantitative methods: an introduction. *Health Educ Q* 1992;19:1-8.
138. **Van de Vijver FJ, Leung K.** Personality in cultural context: methodological issues. *J Pers* 2001;69:1007-1031.

139. **Hughes D, DuMont K.** Using focus groups to facilitate culturally anchored research. *Am J Community Psychol* 1993;21:775–806.
140. **Van de Vijver FJ, Hambleton RK.** Translating tests: some practical guidelines. *Eur Psychol* 1996;1:89–99.
141. **Fetterman DM.** *Ethnography: Step by Step.* Newbury Park, CA: Sage; 1989.
142. **Barofsky I.** Cognitive approaches to summary measurement: its application to the measurement of diversity in health-related quality of life assessments. *Qual Life Res* 2003;12:251–260.
143. **Collins D.** Pretesting survey instruments: an overview of cognitive methods. *Qual Life Res* 2003;12:229–238.
144. **Harris-Kojetin LD, Fowler FJ, Brown JA, et al.** The use of cognitive testing to develop and evaluate CAHPS 1.0 core survey items. *Med Care* 1999;(37 suppl):MS10–MS21.
145. **Jobe JB, Mingay DJ.** Cognitive research improves questionnaires. *Am J Public Health* 1989;79:1053–1055.
146. **Johnson T, O'Rourke D, Chavez N, et al.** Social cognition and responses to survey questions among culturally diverse populations. In: Lyberg L, Biemer P, Collins M, et al., eds. *Survey Measurement and Process Quality.* New York: John Wiley & Sons; 1997:87–113.
147. **Krause NM, Jay GM.** What do global self-rated health items measure? *Med Care* 1994;32:930–942.
148. **Pasick RJ, Stewart SL, Bird JA, et al.** Quality of data in multiethnic health surveys. *Public Health Rep* 2001;116(suppl 1):223–243.
149. **Sudman S, Bradburn NM, Schwarz N.** *Thinking About Answers: The Application of Cognitive Processes to Survey Methodology.* San Francisco: Jossey-Bass Inc; 1996.
150. **Warnecke RB, Johnson TP, Chavez N, et al.** Improving question wording in surveys of culturally diverse populations. *Ann Epidemiol* 1997;7:334–342.
151. **Schuman H.** The random probe: a technique for evaluating the validity of closed questions. *Am Sociol Rev* 1966;31:218–222.
152. **Meredith W.** Measurement invariance, factor analysis and factorial invariance. *Psychometrika* 1993;58:525–543.
153. **Little TD.** Mean and covariance structures (MACS): analyses of cross-cultural data. *Multivariate Behavioral Research, Practical and Theoretical Issues* 1997;32:53–76.
154. **Steenkamp JBEM, Baumgartner H.** Assessing measurement invariance in cross-national consumer research. *Journal of Consumer Research* 1998;25:78–90.
155. **Vandenberg RJ, Lance CE.** A review and synthesis of the measurement invariance literature: suggestions, practices, and recommendations for organizational research. *Methods* 2000;3:4–69.
156. **Cella D, Chang CH.** A discussion of item response theory and its applications in health status assessment. *Med Care* 2000;38(9 suppl):II66–II72.
157. **Embretson SE, Reise SP.** *Item Response Theory for Psychologists.* Mahwah, NJ: Lawrence Erlbaum Associates; 2000.
158. **Hambleton RK, Swaminathan H, Rogers HJ.** *Fundamentals of Item Response Theory.* Newbury Park, CA: Sage; 1991.
159. **Hays RD, Morales LS, Reise SP.** Item response theory and health outcomes measurement in the 21st century. *Med Care* 2000;38(9 suppl):II28–II42.
160. **Teresi JA.** Modern psychometric methods for detection of differential item functioning: application to cognitive assessment measures. *Stat Med* 2000;19:1651–1683.
161. **Van de Vijver FJ, Leung K.** *Methods and Data Analysis for Cross-Cultural Research.* Thousand Oaks, CA: Sage; 1997.
162. **McHorney CA, Cohen AS.** Equating health status measures with item response theory. *Med Care* 2000;38:II43–II59.